

10/631,011

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal201txs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,  
STN AnaVist, now available  
NEWS 4 AUG 11 Derwent World Patents Index(R) web-based training during  
August  
NEWS 5 AUG 11 STN AnaVist workshops to be held in North America  
NEWS 6 AUG 30 CA/CAPLUS - Increased access to 19th century research documents  
NEWS 7 AUG 30 CASREACT - Enhanced with displayable reaction conditions  
NEWS 8 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY  
  
NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT  
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 17:48:55 ON 21 SEP 2005

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 17:49:02 ON 21 SEP 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 American Chemical Society (ACS)

10/631,011

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 SEP 2005 HIGHEST RN 863546-28-5  
DICTIONARY FILE UPDATES: 20 SEP 2005 HIGHEST RN 863546-28-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.


\*\*\*\*\*  
\*  
\* The CA roles and document type information have been removed from \*  
\* the IDE default display format and the ED field has been added, \*  
\* effective March 20, 2005. A new display format, IDERL, is now \*  
\* available and contains the CA role and document type information. \*  
\*  
\*\*\*\*\*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10631011.str



chain nodes :

8 13 14 15 17 18 19 20 21 27 28 38 39 40 41 48 49 50 51 52 53  
59 60 61 62

ring nodes :

1 2 3 4 5 6 7 9 10 11 12 16 22 23 24 25 26 29 30 31 32 33 34  
35 36 37 42 43 44 45 46 47 54 55 56 57 58

chain bonds :

1-34 4-28 6-8 9-61 10-14 10-15 11-13 12-17 16-20 17-18 18-19 20-21  
21-39 21-40 22-27 36-38 39-41 41-43 45-62 46-48 48-49 49-50 49-53 50-51  
51-52 52-55 54-59 56-60

10/631,011

ring bonds :

1-2 1-5 2-3 3-4 3-26 4-25 4-26 5-6 6-7 7-9 9-10 10-11 11-12 12-16  
16-22 22-23 23-24 24-25 29-30 29-34 30-31 30-35 31-32 31-37 32-33 33-34  
35-36 36-37 42-43 42-47 43-44 44-45 45-46 46-47 54-55 54-58 55-56 56-57  
57-58

exact/norm bonds :

6-8 9-61 11-13 16-20 20-21 21-39 21-40 30-35 35-36 39-41 46-48 48-49  
49-53 52-55 54-55 54-59 55-56 56-60

exact bonds :

1-2 1-5 1-34 2-3 3-4 3-26 4-25 4-26 4-28 5-6 6-7 7-9 9-10 10-11 10-14  
10-15 11-12 12-16 12-17 16-22 17-18 18-19 22-23 22-27 23-24 24-25 31-37  
36-37 36-38 41-43 45-62 49-50 50-51 51-52 54-58 56-57 57-58

normalized bonds :

29-30 29-34 30-31 31-32 32-33 33-34 42-43 42-47 43-44 44-45 45-46 46-47

isolated ring systems :

containing 1 : 29 : 42 : 54 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:CLASS 9:Atom 10:Atom  
11:Atom 12:Atom 13:CLASS 14:CLASS 15:CLASS 16:Atom 17:CLASS 18:CLASS  
19:CLASS 20:CLASS 21:CLASS 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:CLASS  
28:CLASS 29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 35:Atom 36:Atom  
37:Atom 38:CLASS 39:CLASS 40:CLASS 41:CLASS 42:Atom 43:Atom 44:Atom 45:Atom  
46:Atom 47:Atom 48:CLASS 49:CLASS 50:CLASS 51:CLASS 52:CLASS 53:CLASS  
54:Atom 55:Atom 56:Atom 57:Atom 58:Atom 59:CLASS 60:CLASS 61:CLASS 62:CLASS

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 17:49:31 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1 TO ITERATE

100.0% PROCESSED 1 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 1 TO 80

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 ful

FULL SEARCH INITIATED 17:49:59 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 18 TO ITERATE

100.0% PROCESSED 18 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

L3 1 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE  
ENTRY

TOTAL  
SESSION

FULL ESTIMATED COST

161.76

161.97

10/631,011

FILE 'CAPLUS' ENTERED AT 17:50:09 ON 21 SEP 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Sep 2005 VOL 143 ISS 13  
FILE LAST UPDATED: 20 Sep 2005 (20050920/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3

L4 1 L3

=> d l4 ibib hitstr abs

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:120722 CAPLUS

DOCUMENT NUMBER: 140:181251

TITLE: Preparation of new epothilone peptide effector conjugates for pharmaceutical use in the treatment of proliferative or angiogenesis associated disease processes

INVENTOR(S): Berger, Markus; Siemeister, Gerhard; Klar, Ulrich; Willuda, Joerg; Menrad, Andreas; Bosslet, Klaus

PATENT ASSIGNEE(S): Schering AG, Germany

SOURCE: PCT Int. Appl., 148 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004012735	A2	20040212	WO 2003-EP8483	20030731
WO 2004012735	A3	20040527		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,			

10/631,011

BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG  
DE 10234975 A1 20040212 DE 2002-10234975 20020731  
DE 10305098 A1 20040819 DE 2003-10305098 20030207  
CA 2492437 AA 20040212 CA 2003-2492437 20030731  
EP 1524979 A2 20050427 EP 2003-743752 20030731  
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK  
BR 2003013043 A 20050614 BR 2003-13043 20030731  
PRIORITY APPLN. INFO.: DE 2002-10234975 A 20020731  
DE 2003-10305098 A 20030207  
US 2003-451673P P 20030305  
WO 2003-EP8483 W 20030731

OTHER SOURCE(S): MARPAT 140:181251

IT 658055-49-3DP, sulfide conjugate with reduced AP39 antibody  
fragment

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological  
study); PREP (Preparation); USES (Uses)


(preparation of new epothilone antibody peptide effector conjugates for  
pharmaceutical use in the treatment of proliferative or angiogenesis  
associated disease processes)



RN 658055-49-3 CAPLUS

CN 1-Pyrrolidinebutanoic acid, 3-mercapto-2,5-dioxo-, 4-  
[[[[[(1S,3S,7S,10R,11S,12S,16R)-7-hydroxy-8,8,12,16-tetramethyl-3-(2-  
methyl-5-benzothiazolyl)-5,9-dioxo-10-(2-propenyl)-4,17-  
dioxabicyclo[14.1.0]heptadec-11-yl]oxy]carbonyl]oxy]methyl]-2-nitrophenyl  
ester (9CI) (CA INDEX NAME)



Absolute stereochemistry.

PAGE 1-A





GI



AB Preparation of epothilone derivs., such as I ( $R_2$  = alkyl, alkenyl, alkynyl, aryl, etc.;  $L_1$ ,  $L_2$  = carboxyl, carbamoyl, carbonic linking group with a terminal group, such as maleimido, suitable for forming a sulfide link with a bio. mol.;  $L_3$  = heteroaryl, such as thiazol-4-yl;  $W$  = alkenylene

linking group; or L3W = heteroaryl, such as benzothiazol-5-yl; X = O, bond), as effectors linked with suitable biomols. as recognition units was described (no biol. testing data was presented). Production of the epothilone conjugates was carried out by the effectors being reacted with suitable linkers, and the compds. that were produced were conjugated to biomol. recognition units. These conjugates are claimed for use in the treatment of proliferative or angiogenesis-associated disease processes, such as tumors, inflammatory diseases, neurodegenerative diseases, such as multiple sclerosis and Alzheimer's disease, and rheumatoid arthritis. Thus, epothilone derivative II [L1 = 3-(2,5-dioxo-2,5-dihydropyrrol-1-yl)-1-Pr, L2 = H] was prepared via a carbamoylation of silylated epothilone I (L1 = H, L2 = SiMe<sub>2</sub>CMe<sub>3</sub>) with 3-(2,5-dioxo-2,5-dihydropyrrol-1-yl)-1-propylisocyanate and subsequent desilylation.

=>

Connection closed by remote host

10/631,011

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1201txs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,  
STN AnaVist, now available  
NEWS 4 AUG 11 Derwent World Patents Index(R) web-based training during  
August  
NEWS 5 AUG 11 STN AnaVist workshops to be held in North America  
NEWS 6 AUG 30 CA/CAPlus -Increased access to 19th century research documents  
NEWS 7 AUG 30 CASREACT - Enhanced with displayable reaction conditions  
NEWS 8 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT  
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 19:19:32 ON 21 SEP 2005

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 19:19:38 ON 21 SEP 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 American Chemical Society (ACS)



10/631,011

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 SEP 2005 HIGHEST RN 863546-28-5  
DICTIONARY FILE UPDATES: 20 SEP 2005 HIGHEST RN 863546-28-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.


```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\106310113.str



```
chain nodes :
11 12 14 21 22 23
ring nodes :
1 2 3 4 5 6 7 8 9 10 13 15 16 17 18 19
chain bonds :
7-12 9-11 10-21 13-14 21-22 22-23
ring bonds :
1-2 1-3 2-5 3-4 4-19 5-6 6-7 7-8 8-9 9-10 10-13 13-15 15-16 16-17
17-18 18-19
```

10/631,011

exact/norm bonds :

1-2 1-3 2-5 3-4 4-19 5-6 6-7 7-8 7-12 8-9 9-10 9-11 10-13 10-21 13-14  
13-15 15-16 16-17 17-18 18-19 21-22 22-23

G1:C,O,N

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:CLASS 12:CLASS 13:Atom 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom  
21:CLASS 22:CLASS 23:CLASS

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 19:19:56 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 1373 TO ITERATE

100.0% PROCESSED 1373 ITERATIONS 1 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 25238 TO 29682  
PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> s l1 ful

FULL SEARCH INITIATED 19:20:03 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 27838 TO ITERATE

100.0% PROCESSED 27838 ITERATIONS 56 ANSWERS  
SEARCH TIME: 00.00.01

L3 56 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	161.33	161.54

FILE 'CAPLUS' ENTERED AT 19:20:14 ON 21 SEP 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

10/631,011

FILE COVERS 1907 - 21 Sep 2005 VOL 143 ISS 13  
FILE LAST UPDATED: 20 Sep 2005 (20050920/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate  
substance identification.

=> s l3

L4 1 L3

=> d l4 ibib hitstr abs

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2001:780372 CAPLUS

DOCUMENT NUMBER: 135:331295

TITLE: Preparation of oxa-epothilone derivatives for  
pharmaceutical use in the treatment of cancer  
INVENTOR(S): Schwede, Wolfgang; Klar, Ulrich; Skuballa, Werner;  
Buchmann, Bernd; Hoffmann, Jens; Lichtner, Rosemarie

PATENT ASSIGNEE(S): Schering A.-G., Germany

SOURCE: Ger. Offen., 46 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 10020899	A1	200111025	DE 2000-10020899	20000420
WO 2001081341	A2	20011101	WO 2001-EP4551	20010419
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
EP 1282618	A2	20030212	EP 2001-927918	20010419
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
JP 2003531206	T2	20031021	JP 2001-578431	20010419
NO 2002005028	A	20021018	NO 2002-5028	20021018
US 2003139460	A1	20030724	US 2002-258017	20021018
PRIORITY APPLN. INFO.:			DE 2000-10020899	A 20000420
			WO 2001-EP4551	W 20010419

OTHER SOURCE(S): MARPAT 135:331295

IT 369639-83-8P 369639-89-4P 369639-96-3P  
369640-03-9P 369640-10-8P 369640-20-0P  
369640-32-4P 369640-43-7P 369640-56-2P  
369640-65-3P 369640-72-2P 369640-78-8P  
369640-84-6P 369640-90-4P 369640-97-1P  
369641-03-2P 369641-05-4P 369641-07-6P  
369641-09-8P 369641-11-2P 369641-13-4P  
369641-15-6P 369641-17-8P 369641-19-0P  
369641-38-3P 369641-42-9P 369641-45-2P

10/631,011

369641-49-6P 369641-52-1P 369641-56-5P  
369641-60-1P 369641-63-4P 369641-81-6P  
369641-87-2P 369641-92-9P 369641-96-3P  
369642-18-2P 369642-22-8P 369642-26-2P  
369642-31-9P 369642-51-3P 369642-55-7P  
369642-59-1P 369642-63-7P 369642-82-0P  
369642-86-4P 369642-90-0P 369642-94-4P  
369643-19-6P 369643-20-9P 369643-69-6P  
369643-70-9P 369643-94-7P 369643-95-8P  
369644-51-9P 369644-52-0P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of oxa-epothilone derivs. for pharmaceutical use in the treatment of cancer)

RN 369639-83-8 CAPLUS


CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 3-[(1Z)-1-fluoro-2-(2-methyl-4-thiazolyl)ethenyl]-7,11-dihydroxy-8,8,12,16-tetramethyl-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry as shown.

PAGE 1-A



PAGE 2-A




RN 369639-89-4 CAPLUS

10/631,011


CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 3-[(1Z)-1-fluoro-2-(2-methyl-4-oxazolyl)ethenyl]-7,11-dihydroxy-8,8,12,16-tetramethyl-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry as shown.

PAGE 1-A





PAGE 2-A



RN 369639-96-3 CAPLUS



CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 3-[(1Z)-1-fluoro-2-(2-pyridinyl)ethenyl]-7,11-dihydroxy-8,8,12,16-tetramethyl-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry as shown.





RN 369640-03-9 CAPLUS  
 CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 14-[(1Z)-1-fluoro-2-(2-methyl-4-thiazolyl)ethenyl]-6,10-dihydroxy-1,5,9,9-  
 tetramethyl-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
 NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.



RN 369640-10-8 CAPLUS  
 CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 14-[(1Z)-1-fluoro-2-(2-methyl-4-oxazolyl)ethenyl]-6,10-dihydroxy-1,5,9,9-  
 tetramethyl-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
 NAME)



Absolute stereochemistry.  
 Double bond geometry as shown.



RN 369640-20-0 CAPLUS  
 CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 14-[(1Z)-1-fluoro-2-(2-pyridinyl)ethenyl]-6,10-dihydroxy-1,5,9,9-  
 tetramethyl-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
 NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.







RN 369640-32-4 CAPLUS

CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 3-[(1Z)-1-chloro-2-(2-methyl-4-thiazolyl)ethenyl]-7,11-dihydroxy-8,8,12,16-tetramethyl-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)



Absolute stereochemistry.  
Double bond geometry as shown.



RN 369640-43-7 CAPLUS

CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 3-[(1Z)-1-chloro-2-(2-methyl-4-oxazolyl)ethenyl]-7,11-dihydroxy-8,8,12,16-tetramethyl-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R)-(9CI) (CA INDEX NAME)



Absolute stereochemistry.  
Double bond geometry as shown.



RN 369640-56-2 CAPLUS



CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 3-[(1Z)-1-chloro-2-(2-pyridinyl)ethenyl]-7,11-dihydroxy-8,8,12,16-tetramethyl-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry as shown.





RN 369640-65-3 CAPLUS  
 CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 14-[(1Z)-1-chloro-2-(2-methyl-4-thiazolyl)ethenyl]-6,10-dihydroxy-1,5,9,9-  
 tetramethyl-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
 NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.





RN 369640-72-2 CAPLUS  
 CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 14-[(1Z)-1-chloro-2-(2-methyl-4-oxazolyl)ethenyl]-6,10-dihydroxy-1,5,9,9-  
 tetramethyl-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
 NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.



RN 369640-78-8 CAPLUS  
 CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 14-[(1Z)-1-chloro-2-(2-pyridinyl)ethenyl]-6,10-dihydroxy-1,5,9,9-  
 tetramethyl-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
 NAME)



Absolute stereochemistry.  
 Double bond geometry as shown.



RN 369640-84-6 CAPLUS

CN Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-dione, 3'-[(1Z)-1-fluoro-2-(2-methyl-4-thiazolyl)ethenyl]-7',11'-dihydroxy-12',16'-dimethyl-10'-(2-propenyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)-(9CI) (CA INDEX NAME)



Absolute stereochemistry.  
Double bond geometry as shown.



RN 369640-90-4 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 14'-[(1Z)-1-fluoro-2-(2-methyl-4-thiazolyl)ethenyl]-6',10'-  
 dihydroxy-1',5'-dimethyl-7'-(2-propenyl)-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S  
 )-(9CI) (CA INDEX NAME)



Absolute stereochemistry.  
 Double bond geometry as shown.







RN 369640-97-1 CAPLUS  
 CN Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-  
 dione, 3'-[(1Z)-1-chloro-2-(2-methyl-4-thiazolyl)ethenyl]-7',11'-dihydroxy-  
 12',16'-dimethyl-10'-(2-propenyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)-  
 (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.




RN 369641-03-2 CAPLUS  
 CN Spiro[cyclobutane-1,9']-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 14'-[(1Z)-1-chloro-2-(2-methyl-4-thiazolyl)ethenyl]-6',10'-  
 dihydroxy-1',5'-dimethyl-7'-(2-propenyl)-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S  
 ) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.




RN 369641-05-4 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 7,11-dihydroxy-  
 8,8,12,16-tetramethyl-3-[(1Z)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-10-  
 (2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R)-(9CI) (CA INDEX NAME)

10/631,011



RN 369641-07-6 CAPLUS


CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 7,11-dihydroxy-8,8,12,16-tetramethyl-3-[(1Z)-1-methyl-2-(2-methyl-4-oxazolyl)ethenyl]-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R)-(9CI) (CA INDEX NAME)



RN 369641-09-8 CAPLUS


CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 7,11-dihydroxy-8,8,12,16-tetramethyl-3-[(1Z)-1-methyl-2-(2-pyridinyl)ethenyl]-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12R,16R)-(9CI) (CA INDEX NAME)

10/631,011



RN 369641-11-2 CAPLUS


CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
6,10-dihydroxy-1,5,9,9-tetramethyl-14-[(1Z)-1-methyl-2-(2-methyl-4-  
thiazolyl)ethenyl]-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA  
INDEX NAME)




RN 369641-13-4 CAPLUS

CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
6,10-dihydroxy-1,5,9,9-tetramethyl-14-[(1Z)-1-methyl-2-(2-methyl-4-  
oxazolyl)ethenyl]-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA  
INDEX NAME)

10/631,011




RN	369641-15-6	CAPLUS	
CN	4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione, 6,10-dihydroxy-1,5,9,9-tetramethyl-14-[(1Z)-1-methyl-2-(2- pyridinyl)ethenyl]-7-(2-propenyl)-, (1R,5R,6S,7R,10S,14S,16S)-(9CI) (CA INDEX NAME)		



RN	369641-17-8	CAPLUS
CN	Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-dione, 7',11'-dihydroxy-12',16'-dimethyl-3'-[(1Z)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-10'-(2-propenyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)-(9CI) (CA INDEX NAME)	


Absolute stereochemistry.  
Double bond geometry as shown.



$\text{=CH}_2$

RN 369641-19-0 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 6',10'-dihydroxy-1',5'-dimethyl-14'-[(1Z)-1-methyl-2-(2-  
 methyl-4-thiazolyl)ethenyl]-7'-(2-propenyl)-,  
 (1'R,5'R,6'S,7'R,10'S,14'S,16'S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.




$\text{=CH}_2$

RN 369641-38-3 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 10-(2-butenyl)-7,11-dihydroxy-8,8,12,16-tetramethyl-3-[(1Z)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (1S,3S,7S,10R,11S,12R,16R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry as described by E or Z.



10/631,011




RN 369641-42-9 CAPLUS

CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 10-(2-butenyl)-7,11-dihydroxy-8,8,12,16-tetramethyl-3-[(1Z)-1-methyl-2-(2-methyl-4-oxazolyl)ethenyl]-, (1S,3S,7S,10R,11S,12R,16R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as described by E or Z.



RN 369641-45-2 CAPLUS


CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 10-(2-butenyl)-7,11-dihydroxy-8,8,12,16-tetramethyl-3-[(1Z)-1-methyl-2-(2-pyridinyl)ethenyl]-,

10/631,011

(1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as described by E or Z.




RN 369641-49-6 CAPLUS

CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
7-(2-butenyl)-6,10-dihydroxy-1,5,9,9-tetramethyl-14-[(1Z)-1-methyl-2-(2-  
methyl-4-thiazolyl)ethenyl]-, (1R,5R,6S,7R,10S,14S,16S)-(9CI) (CA INDEX  
NAME)

Absolute stereochemistry.


Double bond geometry as described by E or Z.

10/631,011



RN 369641-52-1 CAPLUS  
CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
7-(2-butenyl)-6,10-dihydroxy-1,5,9,9-tetramethyl-14-[(1Z)-1-methyl-2-(2-  
methyl-4-oxazolyl)ethenyl]-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX  
NAME)

Absolute stereochemistry.  
Double bond geometry as described by E or Z.




10/631,011

RN 369641-56-5 CAPLUS

CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
7-(2-butenyl)-6,10-dihydroxy-1,5,9,9-tetramethyl-14-[(1Z)-1-methyl-2-(2-  
pyridinyl)ethenyl]-, (1R,5R,6S,7R,10S,14S,16S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as described by E or Z.




RN 369641-60-1 CAPLUS

CN Spiro[cyclobutane-1,8']-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-  
dione, 10'-(2-butenyl)-7',11'-dihydroxy-12',16'-dimethyl-3'-[(1Z)-1-methyl-  
2-(2-methyl-4-thiazolyl)ethenyl]-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R) -  
(9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry as described by E or Z.



Me

RN 369641-63-4 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 7'-(2-butenyl)-6',10'-dihydroxy-1',5'-dimethyl-14'-[(1Z)-1-  
 methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S)-  
 (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry as described by E or Z.




— Me


RN 369641-81-6 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 7,11-dihydroxy-  
 8,8,12,16-tetramethyl-3-(2-methyl-5-benzoxazolyl)-10-(2-propenyl)-,  
 (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A





RN 369641-87-2 CAPLUS

CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
6,10-dihydroxy-1,5,9,9-tetramethyl-14-(2-methyl-5-benzoxazolyl)-7-(2-  
propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A







RN 369641-92-9 CAPLUS

CN Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-dione, 7',11'-dihydroxy-12',16'-dimethyl-3'-(2-methyl-5-benzoxazolyl)-10'-(2-propenyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.










RN 369641-96-3 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 6',10'-dihydroxy-1',5'-dimethyl-14'-(2-methyl-5-  
 benzoxazolyl)-7'-(2-propenyl)-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S)- (9CI)  
 (CA INDEX NAME)

Absolute stereochemistry.






RN 369642-18-2 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 10-(2-butenyl)-7,11-dihydroxy-8,8,12,16-tetramethyl-3-(2-methyl-5-benzoxazolyl)-, (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)



RN 369642-22-8 CAPLUS  
 CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione, 7-(2-butenyl)-6,10-dihydroxy-1,5,9,9-tetramethyl-14-(2-methyl-5-benzoxazolyl)-, (1R,5R,6S,7R,10S,14S,16S) - (9CI) (CA INDEX NAME)

10/631,011





RN 369642-26-2 CAPLUS

CN Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-dione, 10'-(2-butenyl)-7',11'-dihydroxy-12',16'-dimethyl-3'-(2-methyl-5-benzoxazolyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.


PAGE 1-A






RN 369642-31-9 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 7'-(2-butenyl)-6',10'-dihydroxy-1',5'-dimethyl-14'-(2-methyl-  
 5-benzoxazolyl)-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.







RN 369642-51-3 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 7,11-dihydroxy-  
 8,8,12,16-tetramethyl-3-(2-methyl-5-benzothiazolyl)-10-(2-propenyl)-,  
 (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A




RN 369642-55-7 CAPLUS

10/631,011


CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
6,10-dihydroxy-1,5,9,9-tetramethyl-14-(2-methyl-5-benzothiazolyl)-7-(2-  
propenyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A





PAGE 2-A



RN 369642-59-1 CAPLUS



CN Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-  
dione, 7',11'-dihydroxy-12',16'-dimethyl-3'-(2-methyl-5-benzothiazolyl)-  
10'-(2-propenyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)- (9CI) (CA INDEX  
NAME)

Absolute stereochemistry.



RN 369642-63-7 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 6',10'-dihydroxy-1',5'-dimethyl-14'-(2-methyl-5-  
 benzothiazolyl)-7'-(2-propenyl)-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S) - (9CI)  
 (CA INDEX NAME)

Absolute stereochemistry.




RN 369642-82-0 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 10-(2-butenyl)-7,11-dihydroxy-8,8,12,16-tetramethyl-3-(2-methyl-5-benzothiazolyl)-, (1S,3S,7S,10R,11S,12R,16R) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.



PAGE 1-A




PAGE 2-A




RN 369642-86-4 CAPLUS  
 CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 7-(2-butenyl)-6,10-dihydroxy-1,5,9,9-tetramethyl-14-(2-methyl-5-  
 benzothiazolyl)-, (1R,5R,6S,7R,10S,14S,16S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.


PAGE 1-A






RN 369642-90-0 CAPLUS  
 CN Spiro[cyclobutane-1,8'-[4,13,17]trioxabicyclo[14.1.0]heptadecane]-5',9'-  
 dione, 10'-(2-butenyl)-7',11'-dihydroxy-12',16'-dimethyl-3'-(2-methyl-5-  
 benzothiazolyl)-, (1'S,3'S,7'S,10'R,11'S,12'R,16'R)-(9CI) (CA INDEX  
 NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.






RN 369642-94-4 CAPLUS  
 CN Spiro[cyclobutane-1,9'-[4,17]dioxo[13]azabicyclo[14.1.0]heptadecane]-  
 8',12'-dione, 7'-(2-butenyl)-6',10'-dihydroxy-1',5'-dimethyl-14'-(2-methyl-  
 5-benzothiazolyl)-, (1'R,5'R,6'S,7'R,10'S,14'S,16'S)-(9CI) (CA INDEX  
 NAME)


Absolute stereochemistry.  
 Double bond geometry unknown.






RN 369643-19-6 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 16-chloro-7,11-dihydroxy-8,8,12-trimethyl-3-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12S,16S)- (9CI)  
 (CA INDEX NAME)



Absolute stereochemistry.  
 Double bond geometry as shown.





RN 369643-20-9 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 16-chloro-7,11-dihydroxy-8,8,12-trimethyl-3-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-10-(2-propenyl)-, (1R,3S,7S,10R,11S,12S,16R)- (9CI)  
 (CA INDEX NAME)


Absolute stereochemistry.  
 Double bond geometry as shown.




RN 369643-69-6 CAPLUS  
 CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 16-chloro-7,11-dihydroxy-8,8,12-trimethyl-3-(2-methyl-5-benzothiazolyl)-10-(2-propenyl)-, (1S,3S,7S,10R,11S,12S,16S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A




RN 369643-70-9 CAPLUS


CN 4,13,17-Trioxabicyclo[14.1.0]heptadecane-5,9-dione, 16-chloro-7,11-dihydroxy-8,8,12-trimethyl-3-(2-methyl-5-benzothiazolyl)-10-(2-propenyl)-, (1R,3S,7S,10R,11S,12S,16R) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A




RN 369643-94-7 CAPLUS  
 CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 1-chloro-6,10-dihydroxy-5,9,9-trimethyl-14-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-7-(2-propenyl)-, (1S,5S,6S,7R,10S,14S,16S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry as shown.

PAGE 1-A



PAGE 2-A




RN 369643-95-8 CAPLUS  
 CN 4,17-Dioxa-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 1-chloro-6,10-dihydroxy-5,9,9-trimethyl-14-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-7-(2-propenyl)-, (1R,5S,6S,7R,10S,14S,16R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/631,011

Double bond geometry as shown.

PAGE 1-A



PAGE 2-A




RN 369644-51-9 CAPLUS  
CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
1-chloro-6,10-dihydroxy-5,9,9-trimethyl-14-(2-methyl-5-benzothiazolyl)-7-  
(2-propenyl)-, (1S,5S,6S,7R,10S,14S,16S) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



PAGE 1-A



PAGE 2-A





RN 369644-52-0 CAPLUS

CN 4,17-Dioxo-13-azabicyclo[14.1.0]heptadecane-8,12-dione,  
 1-chloro-6,10-dihydroxy-5,9,9-trimethyl-14-(2-methyl-5-benzothiazolyl)-7-  
 (2-propenyl)-, (1R,5S,6S,7R,10S,14S,16R) - (9CI) (CA INDEX NAME)



Absolute stereochemistry.

PAGE 1-A





GI



AB Oxa-epothilones, such as I [R3 = heteroaryl, heteroarylalkenyl, heteroarylhaloalkenyl, etc.; R8, R8a = H, alkyl, arylalkyl; R8R8a = alkylene, heteroalkene; R10 = H, alkyl, alkenyl, alkynyl; R1R16a = bond, O; R16 = H, CN, alkyl, halogen; X = O, NH], were prepared for a variety of therapeutic uses, such as treatment of malignant tumors, proliferative diseases, leukemia, and chronic inflammatory diseases, as well as for anti-angiogenic SE therapy. Thus, oxa-epothilone II was prepared via a multistep synthetic sequence starting from (R)-1,2-propanediol, and [(3S,4Z)-3-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-4-fluoro-5-(2-methyl-4-thiazolyl)-4-pentenyl]triphenylphosphonium iodide,. Pharmaceutical formulations of the prepared oxa-epothilones were discussed, but specific biol. activity data was not presented.

$$\Rightarrow \log y$$

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION

FULL ESTIMATED COST

5.39      166.93

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION

CA SUBSCRIBER PRICE

-0.73                      -0.73

STN INTERNATIONAL LOGOFF AT 19:20:43 ON 21 SEP 2005